BRAIN RESEARCH

VOL. 758 NOS. 1,2 **CONTENTS** **30 MAY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Hypercapnia-induced increases in cerebral blood flow: roles of adenosine, nitric oxide and cortical arousal
A.Y. Estevez and J.W. Phillis (USA) 1

Inhibition by anion channel blockers of ischemia-evoked release of excitotoxic and other amino acids from rat cerebral cortex
J.W. Phillis, D. Song and M.H. O'Regan (USA) 9

Regionally-selective down-regulation of NPY receptor subtypes in the obese Zucker rat. Relationship to the Y5 'feeding' receptor
P.S. Widdowson (UK) 17

Apparent absence of aging and gender effects on serotonin 1A receptors in human neocortex and hippocampus
L. Palego, D. Marazziti, A. Rossi, G. Giannaccini, A.G. Naccarato, A. Lucacchini and G.B. Cassano (Italy) 26

Cerebral extracellular lactate concentration and blood flow during chemical stimulation of the nucleus tractus solitarii in anesthetized rats
Y. Ikegami, M. Maeda, A. Yokota and Y. Hayashida (Japan) 33

The effects of hypo- and hyperkalemia on choroid plexus potassium transport
S.A. Klarr, L.J. Ulanski II, W. Stummer, J. Xiang, A.L. Betz and R.F. Keep (USA) 39

Tumor necrosis factor receptors in the pituitary cells
H. Kobayashi, J. Fukata, N. Murakami, T. Usui, O. Ebisui, S. Muro, I. Hanaoka, K. Inoue, H. Imura and K. Nakao (Japan) 45

Phencyclidine (PCP) acts at σ sites to induce c-*fos* gene expression
J.W. Sharp (USA) 51

Postsynaptic action potentials do not alter short-term potentiation in the dentate gyrus
B. Foster and T.L. Richardson (Canada) 59

Serotonin induces inward potassium and calcium currents in rat cortical astrocytes
T.O. Jalonen, R.R. Margraf, D.B. Wielt, C.J. Charniga, M.-L. Linne and H.K. Kimelberg (USA, Finland) 69

Characterization of the effect of dopamine D_3 receptor stimulation on locomotion and striatal dopamine levels
P. De Boer, P. Enrico, J. Wright, L.D. Wise, W. Timmerman, E. Moor, D. Dijkstra, H.V. Wikström and B.H.C. Westerink (The Netherlands) 83

Examination of persistent effects of repeated administration of pentylenetetrazol on rat hippocampal CA1: evidence from in vitro study on hippocampal slices
Y. Fathollahi, F. Motamedi, S. Semnanian and M. Zardoshti (Iran) 92

Distribution of tumor necrosis factor receptor messenger RNA in normal and herpes simplex virus infected trigeminal ganglia in the mouse
E.T. Cunningham Jr., A.K. Stalder, P.P. Sanna, S.S. Liu, F.E. Bloom, E.L. Howes Jr., I.L. Campbell and T.P. Margolis (USA) 99

Muscarinic reduction of GABAergic synaptic potentials results in disinhibition of the AMPA/kainate-mediated EPSP in auditory cortex
V.B. Aramakis, A.E. Bandrowski and J.H. Ashe (USA) 107

μ-Opioid receptor activation decreases N-type Ca^{2+} current in magnocellular neurons of the rat basal forebrain
B.L. Soldo and H.C. Moises (USA) 118

Control of porcine lacrimal gland secretion by non-cholinergic, non-adrenergic nerves: effects of electrical field stimulation, VIP and NPY
E.A. Adeghate, J. Singh, F.C. Howarth and S. Burrows (United Arab Emirates, UK) 127

Effects of pilocarpine on paired pulse inhibition in the CA3 region of the rat hippocampus
Ü. Sayin and P.A. Rutecki (USA) 136

Co-localization of carnosine and glutamate in photoreceptors and bipolar cells of the frog retina
P. Panzanelli, D. Cantino and M. Sassoè-Pognetto (Italy) 143

The effect of MK-801 on extracellular neuroactive amino acids in hippocampus after closed head injury followed by hypoxia in rats
H. Katoh, K. Sima, H. Nawashiro, K. Wada and H. Chigasaki (Japan) 153

Opioid peptides modulate $GABA_A$ receptor responses in neurons of bullfrog dorsal root ganglia
Z.-X. Xi and T. Akasu (Japan) 163

Effects of age and sociosexual experience on the morphology and metabolic capacity of brain nuclei in the leopard gecko (*Eublepharis macularius*), a lizard with temperature-dependent sex determination
D. Crews, P. Coomber and F. Gonzalez-Lima (USA) 169

Neonatal ablations of the amygdala and inferior temporal cortex alter the vocal response to social separation in rhesus macaques
J.D. Newman and J. Bachevalier (USA) 180

Evidence for recovery of spatial learning following entorhinal cortex lesions in mice
R. Hardman, D.J. Evans, L. Fellows, B. Hayes, H.T. Rupniak, J.C. Barnes and G.A. Higgins (UK) 187

Mapping of carotid baroreceptor subtype projections to the nucleus tractus solitarius using c-*fos* immunohistochemistry
C. Dean and J.L. Seagard (USA) 201

(contents continued on p. 266)

0006-8993(19970530)758:1/2;1-E

BRAIN RESEARCH

VOL. 758 NOS. 1,2 **CONTENTS** **30 MAY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Hypercapnia-induced increases in cerebral blood flow: roles of adenosine, nitric oxide and cortical arousal
A.Y. Estevez and J.W. Phillis (USA) 1

Inhibition by anion channel blockers of ischemia-evoked release of excitotoxic and other amino acids from rat cerebral cortex
J.W. Phillis, D. Song and M.H. O'Regan (USA) 9

Regionally-selective down-regulation of NPY receptor subtypes in the obese Zucker rat. Relationship to the Y5 'feeding' receptor
P.S. Widdowson (UK) 17

Apparent absence of aging and gender effects on serotonin 1A receptors in human neocortex and hippocampus
L. Palego, D. Marazziti, A. Rossi, G. Giannaccini, A.G. Naccarato, A. Lucacchini and G.B. Cassano (Italy) 26

Cerebral extracellular lactate concentration and blood flow during chemical stimulation of the nucleus tractus solitarii in anesthetized rats
Y. Ikegami, M. Maeda, A. Yokota and Y. Hayashida (Japan) 33

The effects of hypo- and hyperkalemia on choroid plexus potassium transport
S.A. Klarr, L.J. Ulanski II, W. Stummer, J. Xiang, A.L. Betz and R.F. Keep (USA) 39

Tumor necrosis factor receptors in the pituitary cells
H. Kobayashi, J. Fukata, N. Murakami, T. Usui, O. Ebisui, S. Muro, I. Hanaoka, K. Inoue, H. Imura and K. Nakao (Japan) 45

Phencyclidine (PCP) acts at σ sites to induce c-*fos* gene expression
J.W. Sharp (USA) 51

Postsynaptic action potentials do not alter short-term potentiation in the dentate gyrus
B. Foster and T.L. Richardson (Canada) 59

Serotonin induces inward potassium and calcium currents in rat cortical astrocytes
T.O. Jalonen, R.R. Margraf, D.B. Wielt, C.J. Charniga, M.-L. Linne and H.K. Kimelberg (USA, Finland) 69

Characterization of the effect of dopamine D_3 receptor stimulation on locomotion and striatal dopamine levels
P. De Boer, P. Enrico, J. Wright, L.D. Wise, W. Timmerman, E. Moor, D. Dijkstra, H.V. Wikström and B.H.C. Westerink (The Netherlands) 83

Examination of persistent effects of repeated administration of pentylenetetrazol on rat hippocampal CA1: evidence from in vitro study on hippocampal slices
Y. Fathollahi, F. Motamedi, S. Semnanian and M. Zardoshti (Iran) 92

Distribution of tumor necrosis factor receptor messenger RNA in normal and herpes simplex virus infected trigeminal ganglia in the mouse
E.T. Cunningham Jr., A.K. Stalder, P.P. Sanna, S.S. Liu, F.E. Bloom, E.L. Howes Jr., I.L. Campbell and T.P. Margolis (USA) 99

Muscarinic reduction of GABAergic synaptic potentials results in disinhibition of the AMPA/kainate-mediated EPSP in auditory cortex
V.B. Aramakis, A.E. Bandrowski and J.H. Ashe (USA) 107

μ-Opioid receptor activation decreases N-type Ca^{2+} current in magnocellular neurons of the rat basal forebrain
B.L. Soldo and H.C. Moises (USA) 118

Control of porcine lacrimal gland secretion by non-cholinergic, non-adrenergic nerves: effects of electrical field stimulation, VIP and NPY
E.A. Adeghate, J. Singh, F.C. Howarth and S. Burrows (United Arab Emirates, UK) 127

Effects of pilocarpine on paired pulse inhibition in the CA3 region of the rat hippocampus
Ü. Sayin and P.A. Rutecki (USA) 136

Co-localization of carnosine and glutamate in photoreceptors and bipolar cells of the frog retina
P. Panzanelli, D. Cantino and M. Sassoè-Pognetto (Italy) 143

The effect of MK-801 on extracellular neuroactive amino acids in hippocampus after closed head injury followed by hypoxia in rats
H. Katoh, K. Sima, H. Nawashiro, K. Wada and H. Chigasaki (Japan) 153

Opioid peptides modulate $GABA_A$ receptor responses in neurons of bullfrog dorsal root ganglia
Z.-X. Xi and T. Akasu (Japan) 163

Effects of age and sociosexual experience on the morphology and metabolic capacity of brain nuclei in the leopard gecko (*Eublepharis macularius*), a lizard with temperature-dependent sex determination
D. Crews, P. Coomber and F. Gonzalez-Lima (USA) 169

Neonatal ablations of the amygdala and inferior temporal cortex alter the vocal response to social separation in rhesus macaques
J.D. Newman and J. Bachevalier (USA) 180

Evidence for recovery of spatial learning following entorhinal cortex lesions in mice
R. Hardman, D.J. Evans, L. Fellows, B. Hayes, H.T. Rupniak, J.C. Barnes and G.A. Higgins (UK) 187

Mapping of carotid baroreceptor subtype projections to the nucleus tractus solitarius using c-*fos* immunohistochemistry
C. Dean and J.L. Seagard (USA) 201

(contents continued on p. 266)

0006-8993(19970530)758:1/2;1-E

(contents continued)

Immunohistochemical analysis of presenilin 2 expression in the mouse brain: distribution pattern and co-localization with presenilin 1 protein
V. Blanchard, C. Czech, B. Bonici, N. Clavel, M. Gohin, K. Dalet, F. Revah, L. Pradier, A. Imperato and S. Moussaoui (France) 209
Medullary post-inspiratory neuronal and diaphragm post-inspiratory activities during spontaneous augmented breaths in anesthetized rats
M. Takeda and S. Matsumoto (Japan) 218
Brain [^{3}H]cAMP binding sites are unaltered in depressed suicides, but decreased by antidepressants
S. Lowther, C.L.E. Katona, M.R. Crompton and R.W. Horton (UK) 223
Novel environment induced inhibition of corticosterone secretion: physiological evidence for a suprachiasmatic nucleus mediated neuronal hypothalamo-adrenal cortex pathway
R.M. Buijs, J. Wortel, J.J. Van Heerikhuize and A. Kalsbeek (The Netherlands) 229

Short communications

Selective reduction of monoamine oxidase A and B in the frontal cortex of subordinate rats
N.K. Dhingra, T.R. Raju and B.L. Meti (India) 237
17α-Dihydroequilenin increases hippocampal dendritic spine density of ovariectomized rats
S.A. Washburn, C.E. Lewis, J.E. Johnson, M.L. Voytko and C.A. Shively (USA) 241
Microinjection of NMDA into the SCN region mimics the phase shifting effect of light in hamsters
E.M. Mintz and H.E. Albers (USA) 245
Neuropeptide FF in the VTA blocks the analgesic effects of both intra-VTA morphine and exposure to stress
N. Altier and J. Stewart (Canada) 250
Increased expression of the peripheral-type benzodiazepine receptor-isoquinoline carboxamide binding protein mRNA in brain following portacaval anastomosis
P. Desjardins, P. Bandeira, V.L. Raghavendra Rao, S. Ledoux and R.F. Butterworth (Canada) 255
Immunohistochemical localization of macrophage migration inhibitory factor (MIF) in tanycytes, subcommissural organ and choroid plexus in the rat brain
M. Nishibori, N. Nakaya, S. Mori and K. Saeki (Japan) 259

Erratum

Preservation of dendrites with the presence of reorganized mossy fiber collaterals in hippocampal dentate granule cells in patients with temporal lobe epilepsy. [Brain Research 744 (1997) 339–342]
M. Isokawa (USA) 263

Author Index 264